


This drawing, specifications, and concepts contained herein are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
A	CH'D TITLEBLOCK & REVISION BLOCK, ADDED BRIDGE NOTE -1, LABELED SECTION A-A & DETAIL B, ADDED -7 WELDMENT.	1/25/10	RJC	RW






NOTE:  
USE ON PART #78286-70968-08502-101

ASSY QTY	ASSY QTY	B/D	PART #	QTY	DESCRIPTION	MATERIAL	B/D INFORMATION OR SPECIFICATIONS	Pg.
			-1	1	BODY	H-13	Ø3-1/2 x 4-3/4	2
			-3	1	SLEEVE	1018	Ø3-3/4 O.D. x 3-1/4 I.D. x 3-1/2	3
	1		-5		SCREW	B7 ALL-THREAD	1/2-20 UNF x 5-1/4	3
	1	B/D			HEAVY HEX NUT		1/2-20 UNF BLACK OR PLAIN	3
			-7	1	WELDMENT			3
	ASSY -7							

<b>RED BARN MACHINE</b>	
TITLE INPUT MODULE SEAL REMOVER	
DWG NO. RBT111501-101	REV A
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS .XXX ± .005 XX ± .01 X ± .1	FRACTIONS ± 1/32 ANGLES ± 5°
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	DATE 2-3-03
SHEET 1 of 3	

This drawing, specifications, and concepts contained herein are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
A	CH'D TITLEBLOCK & REVISION BLOCK, ADDED BRIDGE NOTE -1, LABELED SECTION A-A & DETAIL B, ADDED -7 WELDMENT.	1/25/10	RJC	




NOTE:  
REMOVE BRIDGES BY MILLING OR DIE GRINDING  
AFTER HEAT TREATING.

<b>RED BARN MACHINE</b>	
TITLE INPUT MODULE SEAL REMOVER	
DWG NO. RBT111501-101-1	REV A
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	FRACTIONS ± 1/32 ANGLES ± 5°
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	DATE 2-3-03
SHEET 2 of 3	



DRAWN BY: COLE	APPROVED: <i>D Weil</i>
HEAT TREAT 47-50 Rc	FINISH BLACK OXIDE
USED ON MODEL BLACKHAWK H-60	

This drawing, specifications, and concepts contained herein are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
A	CH'D TITLEBLOCK & REVISION BLOCK, ADDED BRIDGE NOTE -1, LABELED SECTION A-A & DETAIL B, ADDED -7 WELDMENT.	1/25/10	RJC	



(-3)  
SLEEVE




(-5)  
BOLT




(-7)  
WELDMENT


<b>RED BARN MACHINE</b>	
TITLE INPUT MODULE SEAL REMOVER	
DWG NO. RBT111501-101-3 thru -7	REV A
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	DRAWN BY: COLE APPROVED: <i>D Weil</i> HEAT TREAT FINISH BLACK OXIDE USED ON MODEL BLACKHAWK H-60
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	DATE 2-3-03 SHEET 3 of 3



SLIDE SEAL REMOVER ONTO  
INPUT MODULE.



SLIDE SLEEVE ONTO SEAL  
REMOVER TO GRIP INPUT  
MODULE SEAL.  
TIGHTEN BOLT TO REMOVE  
SEAL.



REMOVE SLEEVE AND  
SEAL DROPS FREE.

NOTE:  
USE ON PART #78286-70968-08502-101

**RED BARN MACHINE**  
190 South Danebo Ave  
Eugene, Oregon 97402  
(541) 344-9953; Fax 344-3863  
E-mail: sales@redbarn.net

